



2025 - 2026

Katalog



zendoor[®]

ABOUT US

Prokap Is An Organization That Has Been Serving In The Furniture Industry Since 2013. The Company, Which Was Engaged In The Production Of Membranes And Lacquer Covers Until 2018, Started To Produce Interior Doors With The Company Zendoor After 2018. After This Date, The Company That Produces Serial Kitchen Cabinets, Dressing Rooms, Bathroom Cabinets, Cloakroom Cabinets, Compact Toilet Partitions And Cabinets, Conference Halls, School Desks And Cabinets, Hotel Concepts And Hospital Furniture Has Become One Of The Distinguished Companies In The Sector. Prokap Consists Of A Closed Area Of 6500 M2, Established On An Additional 10.000 M2in Production With Our Factory, Which Has A Production Area Of 2500 M2 In Ankara Sites In 2013, And Zendoor Company In Kastamonu Tosya Organized Industry In 2019. Prokap Has Become One Of The Mostimportant Suppliers Of Furniture Business With The Works It Has Done Both In The Country And Abroad.

Turkiye
Georgia
Iraq
Jordan
Bulgaria
Romania
Macedonia
Bosnia
Turkmenistan
Oman
Egypt
Ethiopia
Saudi arabia
Libya
Algeria
Nigeria
Morocco
Tunisia
Belgium
Italy
Ivory coast
Guinea
Senegal
Abd
Canada



Our Quality Policy

As Prokap Decoration Furniture, Our First Priority Since Its Establishment Has Been To Ensure Customers Atisfaction. Within The Framework Of The Quality Management System Practices We Have Established For This Purpose, We Measure The Degree Of Customer Satisfaction, Determine Their Expectations, Analyze The Results, And Adapt Them Quickly To Our Body By Making The Necessary Improvements. Prokap Decoration Furniture Handles All Its Activities In Line With The Principle Of Continuous Improvement In Accordance With The Requirements Of The Age, Where Change Is Very Fast. Prokap Continues Its Activities With The Team Spirit Formed With The Awareness That It Serves A Common Purpose With All Its Employees And Suppliers, By Constantly Renewing Itself, Using Its Resources Effectively, Not Compromising on Quality, In Order Not To Lose The Trust Of The Customers It Has Gained Through The Work It Has Done So Far.



Visit Our Website

www.zendoor.com.tr

► Fire Rated Doors



30-Minute Fire Rated Wooden Door (Fd30)

1. Core:
 - Fire-resistant board (mineral or solid particle core)
 - Density: 550–700 kg/m³
2. Faces:
 - MDF / HDF / Veneer / Laminate / Paint finish
 - Thickness: 4–6 mm each side
3. Frame:
 - Solid wood or WPC, fire-treated
 - Frame thickness: 44–50 mm
4. Seals:
 - Intumescent (fire-expanding) strip around the frame
 - Width: 15–20 mm
5. Size:
 - Standard: 2100 × 900 mm (custom available)
 - Door thickness: 44 mm
6. Hardware:
 - 3 stainless fire-rated hinges
 - Fire-rated lock and handle
 - Door closer (auto-close)
 - Optional smoke or drop seal
7. Certification:
 - Tested under BS 476 Part 22 or EN 1634-1
 - Fire resistance: 30 minutes
8. Finish Options:
 - PU paint (any RAL color), veneer, or laminate



PVC Door

ZD-103



ZD-104



ZD-105



ZD-106

PVC Door

ZD-107



 **zendoor®**

ZD-108


ZD-109
ZD-110

PVC Door

ZD-111



ZD-112



PVC Door



ZD-113



ZD-114

PVC Door

ZD-115



ZD-116

 PVC Door

ZD-117



ZD-118

PVC Door

ZD-119



ZD-120



ZD-121



ZD-122

PVC Door



ZD-123



Visit Our Website

www.zendoor.com.tr

 PVC Door **ZD-124****ZD-125**

PVC Door

ZD-126



ZD-127

 PVC Door



 ZD-128




ZD-129

PVC Door

ZD-130



ZD-131

 PVC Door ZD-132 ZD-133

Melamine Door <

ZD-200



ZD-201

 Lacquered Door



 **ZD-300**



ZD-301 

Lacquered Door **ZD-302** **ZD-303** 


 Lacquered Door
ZD-304**ZD-305**


Lacquered Door <**ZD-306****ZD-307**

 Lacquered Door **ZD-308** **ZD-309**

Laminate Door

ZD-400



ZD-401



Door Features



	LACQUE DOOR	PVC MEMBRANE DOOR	MELAMINE DOOR	PANEL DOOR
WING MATERIAL	6-8 mm MDF	6-8 mm MDF	4 - 6 mm MDF Ready Melamine Surface	4 mm MDF Ready Panel Surface
SURFACE	Raw MDF surface is painted by adjusting with advanced paint techniques.	Raw MDF surface is covered with 0.20 micron imported PVC material in different colors.	Self-patterned and colored ready-made melamine surface.	Paint is applied in the color embroidered on the self-patterned panel surface.
MODEL	Pattern and modeling can be done with CNC.	Pattern and modeling can be done with CNC.	The surface comes ready in certain models and patterns.	The surface comes ready in certain models and patterns.
MEASUREMENT	in desired dimensions	in desired dimensions	to a certain extent 70 CM - 91 CM	to a certain extent 70 CM - 91 CM
PULLEY FRAME	Wood Material	Wood Material	Wood Material	Wood Material
INNER FILLING	Wooden Grid or Kraft Paper Honeycomb	Wooden Grid or Kraft Paper Honeycomb	Wooden Grid or Kraft Paper Honeycomb	Kraft Paper Honeycomb
FRAME AND SIDE	Paintable PP* coated MDF Frame and Frame	0.20 Micron PVC coated MDF Frame and Frame	Foil-covered MDF Frame and Frame	MDF Frame and Frame with PP coated or direct paint applied
	PP coated Sandwich Case obtained by placing kiln-dried wood between two 12 mm MDF	PP coated Sandwich Case obtained by placing kiln-dried wood between two 12 mm MDF	Foil covered Sandwich Case obtained by placing kiln-dried wood between two 12 mm MDF	Foil covered Sandwich Case obtained by placing kiln-dried wood between two 12 mm MDF
	Paintable PP Coated Composite Material	0.20 Micron PVC Coated Composite Material	Foil Covered Composite Material	PP Coated Composite Material

* PP Paintable Paper is a protective material used to make the paint more permanent and to make the wood longer lasting. The surface is first covered with PP and then paint is applied.

Pulley Features



	WOOD GRILL HOLDER	KRAFT HONEYCOMB FILLED HOLE
FRAME	A pulley frame is made from baked fir, spruce, pine trees with 28-30-32 mm x 45 mm attachments prepared in a way that does not bend, or optionally imported slats.	A pulley frame is made from baked fir, spruce, pine trees with 28-30-32 mm x 45 mm attachments prepared in a way that does not bend, or optionally imported slats.
INNER MATERIAL	It is grided with an optional density from dried pine or fir wood, which is called as core.	The inside of the hoop is filled with this filling material, which is obtained by combining kraft or testliner type papers with a special technique and resembles a honeycomb in shape.
DIMENSIONS	28-30-32 mm Thickness + Desired width and length. In special productions, pulley dimensions suitable for the project can be applied.	28-30-32 mm Thickness + Desired width and length. In special productions, pulley dimensions suitable for the project can be applied.

The spars, which are used to prevent the pulleys from bending, are produced by carefully selecting 1st class material without knots and gum. Surface and tape application on the prepared pulleys is made with first class glues imported from Germany. All kraft paper honeycombs used comply with TSE and ISO standards and also have all necessary quality certificates.

Door Features



	LACQUE DOOR	PVC MEMBRANE DOOR	MELAMINE DOOR	PANEL DOOR
WING MATERIAL	6-8 mm MDF	6-8 mm MDF	4 - 6 mm MDF Ready Melamine Surface	4 mm MDF Ready Panel Surface
SURFACE	Raw MDF surface is painted by adjusting with advanced paint techniques.	Raw MDF surface is covered with 0.20 micron imported PVC material in different colors.	Self-patterned and colored ready-made melamine surface.	Paint is applied in the color embroidered on the self-patterned panel surface.
MODEL	Pattern and modeling can be done with CNC.	Pattern and modeling can be done with CNC.	The surface comes ready in certain models and patterns.	The surface comes ready in certain models and patterns.
MEASUREMENT	in desired dimensions	in desired dimensions	to a certain extent 70 CM - 91 CM	to a certain extent 70 CM - 91 CM
PULLEY FRAME	Wood Material	Wood Material	Wood Material	Wood Material
INNER FILLING	Wooden Grid or Kraft Paper Honeycomb	Wooden Grid or Kraft Paper Honeycomb	Wooden Grid or Kraft Paper Honeycomb	Kraft Paper Honeycomb
FRAME AND SIDE	Paintable PP* coated MDF Frame and Frame	0.20 Micron PVC coated MDF Frame and Frame	Foil-covered MDF Frame and Frame	MDF Frame and Frame with PP coated or direct paint applied
	PP coated Sandwich Case obtained by placing kiln-dried wood between two 12 mm MDF	PP coated Sandwich Case obtained by placing kiln-dried wood between two 12 mm MDF	Foil covered Sandwich Case obtained by placing kiln-dried wood between two 12 mm MDF	Foil covered Sandwich Case obtained by placing kiln-dried wood between two 12 mm MDF
	Paintable PP Coated Composite Material	0.20 Micron PVC Coated Composite Material	Foil Covered Composite Material	PP Coated Composite Material

* PP Paintable Paper is a protective material used to make the paint more permanent and to make the wood longer lasting. The surface is first covered with PP and then paint is applied.



Frame - Side Features



It is a type of case whose surfaces are made of wood material inside MDF.

	MDF CASE	SANDWICH CASE	COMPOSITE CASE
THICKNESS	36 - 42 mm	36-42 mm	36 mm
WIDTH	10 - 40 cm	10 - 40 cm	10 - 40 cm
LENGTH	in desired length	in desired length	in desired length
SURFACE APPLICATION	Paint (PP* Wrapped) + PVC Coating	Paint (PP* Wrapped) + PVC Coating	Paint (PP* Wrapped) + PVC Coating

* PP Paintable Paper is a protective material used to make the paint more permanent and to make the wood longer lasting. The surface is first covered with PP and then paint is applied.



	MDF STRING	COMPOSITE STRING
WIDTH	8 - 27 cm	4 - 10 cm
LENGTH	in desired length	in desired length
SURFACE APPLICATION	Paint (PP* Wrapped) + PVC Coating	Paint (PP* Wrapped) + PVC Coating

Door Leaf

Kaliteli ve estetik yüzey uygulamaları (Lake boyı - Doğal ve Alpi Kaplama - PVC Kaplama - Laminant - Melamin - Medelack)

6 / 9 / 12 / 18 mm mdf kapı paneli
6 / 9 / 12 / 18 mm mdf door panel

Kilit destek takozu
Lock support angle block

Yüksek dayanımlı ve kapının nefes almasını sağlayan teknolojik petek dolgu
High-strength technological honeycomb texture enabling door to air

30 x 42 mm çift ahşap seren
30 x 42 mm double spar

Kaliteli ve estetik yüzey uygulamaları (Lake boyı - Doğal ve Alpi Kaplama - PVC Kaplama - Laminant - Melamin - Medelack)

6 / 9 / 12 / 18 mm mdf kapı paneli
6 / 9 / 12 / 18 mm mdf door panel

Kilit destek takozu
Lock support angle block

Yüksek dayanımlı ağaç ızgara

30 x 42 mm çift ahşap seren
30 x 42 mm double spar

Kaliteli ve estetik yüzey uygulamaları (Lake boyı - Doğal ve Alpi Kaplama - PVC Kaplama - Laminant - Melamin - Medelack)

6 / 9 / 12 / 18 mm mdf kapı paneli
6 / 9 / 12 / 18 mm mdf door panel

Kilit destek takozu
Lock support angle block

Yangın dayanımlı / ses yalıtımlı okal sunta

30 x 42 mm çift ahşap seren
30 x 42 mm double spar

Kasa / Kompozit / Door Frame / Composite



Yukarıda verilen ölçüler; üretim ve stok durumuna değişebilir.

Kasa / MDF / Düz Pervaz / Door Frame / MDF / Flat Door Casing



Yukarıda verilen ölçüler; üretim ve stok durumuna değişebilir.

Kasa / Sandwich Panel / Oval Pervaz / Door Frame / Sandwich Panel / Oval Door Casing



Yukarıda verilen ölçüler; üretim ve stok durumuna değişebilir.



MARS

	W	H	D
Dolap / Wash Basin	65	62	48
Ayna / Mirror			04
Boy Dolap / Side Cabinet	35	160	35

	W	H	D
Dolap / Wash Basin	80	62	48
Ayna / Mirror			04
Boy Dolap / Side Cabinet	35	160	35

	W	H	D
Dolap / Wash Basin	100	62	48
Ayna / Mirror		80	04
Boy Dolap / Side Cabinet	35	160	35


Bathroom



SIENA

	W	H	D
Dolap / Wash Basin	120	60	51
Ayna / Mirror	120	80	15
Boy Dolap / Side Cabinet	50	160	35

	W	H	D
Dolap / Wash Basin	140	60	51
Ayna / Mirror	140	80	15
Boy Dolap / Side Cabinet	50	160	35



Wardrobe







zendoor[®]